

GOVERNMENT OF TELANGANA
ABSTRACT

PUBLIC SERVANTS - Panchayat Raj & Rural Development Department - Sri D.Krishnam Raju, Deputy Executive Engineer, Panchayat Raj of Zone-V –Un-authorised absence from duty with effect from 19.12.1997 - Departmental Proceedings initiated under rule 20 of APCS (CC&A) Rules, 1991 – Inquiry conducted – Show-cause notice issued - removal from service-Imposed - Orders - Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (Engg.Estt.) DEPARTMENT

G.O.Rt.No. 344

Dated: 22-09-2021.
Read the following:-

- 1.G.O.Ms.No.260, General Administration (Ser.C) Department, Dated:04-09-2003.
- 2.T.O. Memo..No.D.EE.I(1)/1924/98, dated:29-04-2004 of the Engineer-in-Chief, Panchayat Raj, Hyderabad.
- 3.T.O.Show cause notice No.DI(5)/1924/98, Dt:05.01.2006 of ENC., PR, Hyderabad.
- 4.From the Commissioner, I&PR Department, Hyderabad Letter No.381/CL/ADVT/1/2005, Dt:12.01.2006.
- 5.T.O.Proceedings No.Vig.III(2)/1924/AB/98, Dt:29.11.2006 of the Engineer-in-Chief, Panchayat Raj, Hyderabad
- 6.Letter No.A1/74/2004, Dt:03.12.2012 of Superintending Engineer, Khammam.
- 7.T.O.Memo No.Vig.II(5)/1924/AB/1998, Dt:30.11.2013 of the Engineer-in-Chief, Panchayat Raj, Hyderabad.
- 8.From the Manager (w) I/c, O/o the Commissioner, Printing, Stationery & S.P.Wing (Printing Wing) Department, Chanchalguda, Hyderabad, Letter No. Misc/G1/GNS/2019, Dt:09.08.2019.
- 9.From the Engineer-in-Chief, Panchayat Raj, Hyderabad, Lr. No.Vig.II(5)/1924/AB/98, dated:30-08-2019.
- 10.Memo.No.8639/Engg.Estt./A1/2013-6,PR&RD(Engg.Estt.) Department, dated: 07-02-2020.
- 11.From the Engineer-in-Chief, Panchayat Raj, Hyderabad, Lr. No. Vig.II(5)/1924/AB/98, dated:21-09-2020.
- 12.The Secretary, Telangana State Public Service Commission Letter No. 13/ RT /TSPSC/2021, Dt:12.02.2021.
- 13.Memo No.8639/Engg.Estt./A1/2013-8, Dt:09-03-2021.
- 14.From the Engineer-in-Chief, Panchayat Raj, Hyderabad Letter No.Vig.II(5)/1924/AB/1998, Dt:24.03.2021.
- 15.Letter No.8639/ Engg.Estt/A1/2013-9, Dated:16.04.2021
- 16.From the Principal Secretary, Telangana State Public Service Commission, Hyderabad letter No.13/RT/TSPSC/2021, Dt:23.07.2021.

<<*>>

ORDER:-

In the reference 2nd read above, disciplinary proceedings were initiated against Sri D.Krishnam Raju, Deputy Executive Engineer, Panchayat Raj of Zone-V by way of framing charges under Rule 20 of Andhra Pradesh Civil Services (Classification, Control &Appeal) Rules, 1991 for his Un-authorised absence from duty with effect from 19.12.1997. The same has not been served to him, since his whereabouts are not known. Further, a show cause notice has been issued vide reference 3rd read above by extending a copy to the Commissioner, I&PR, Hyderabad. In the reference 4th read above, the Commissioner, I&PR has informed that the same was published in different news papers.

2. In the reference 5th read above, under Rule 20 (2) and (5) of A.P.C.S. (CC&A) Rules, 1991, the Superintending Engineer, PR, Khammam has been appointed as Enquiry Officer and the Executive Engineer, PR, Khammam has been appointed as Presenting Officer to inquire into the matter. In the reference 6th read above, the Enquiry Officer has submitted his report and in the reference 7th read above, a copy of enquiry report has been communicated to Sri D.Krishnam Raju, Deputy Executive Engineer, PR and he was directed therein to submit his representation on the enquiry report within fifteen (15) days from the date of receipt of the memo with a condition that failing which it will be construed that he was no explanation to offer and necessary further action will be taken against him based on the material available on record, as per rules in force. In the reference 8th read above the Manager, O/o Commissioner, Ptg.&Sty.&S.P. Wing, Hyderabad has informed that the same was published in A.P. Weekly Gazette, issue No.51, Part.II and released on 19.12.2013.

P.T.O.

::2::

3. In the reference 9th read above, the Engineer-in-Chief, Panchayat Raj, Hyderabad has requested to take further necessary action for removal from service in respect of Sri D.Krishnam Raju, Deputy Executive Engineer, who absconded from service with effect from 19.12.1997.

4. Government after careful examination of the matter, keeping in view the orders issued in the reference 1st read above, have provisionally decided to impose a major penalty of removal from service on Sri D.Krishnam Raju, Deputy Executive Engineer, Panchayat Raj of Zone-V for his unauthorized absence from his legitimate duties w.e.f., 19.12.1997 in terms of Clause (ix) of Rule 9 of Telangana State Civil Services (Classification, Control & Appeal) Rules, 1991 and issued show cause notice vide reference 10th read above and the same was communicated and published in the Gazette.

5. The Telangana State Public Service Commission(TSPSC) have conveyed its concurrence with the above proposal of the Government, vide reference 16th read above.

6. Government after careful examination of the entire matter have decided and hereby order to impose a penalty of "removal from service" against Sri D.Krishnam Raju, Deputy Executive Engineer, Panchayat Raj of Zone-V for his unauthorized absence from his legitimate duties w.e.f., 19.12.1997, under rule 9 of Telangana State Civil Services (CC&A) Rules, 1991 read with G.O.Ms.No.260 GA (Ser.C) Department, dt:04-09-2003.

7. The Engineer-in-Chief, Panchayat Raj, Hyderabad, shall take further necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

**SANDEEP KUMAR SULTANIA
SECRETARY TO GOVERNMENT**

To

The Engineer-in-Chief, Panchayat Raj, Hyderabad.

The Individual through the Engineer-in-Chief, Panchayat Raj, Hyderabad.

Copy to:

The Commissioner, Printing, Stationary & Stores Purchase, Chanchalguda, Hyderabad with a request to publish in the Extra-ordinary Gazette of Telangana and furnish (10) copies to Government for record.)

The Accountant General, Telangana State, Hyderabad.

The Director of Treasuries & Accounts, Hyderabad.

The Principal Secretary, Telangana State Public Service Commission,
Hyderabad.

SC/SF.

//FORWARDED :: BY ORDER//

SECTION OFFICER